## Hospital:





First Name	Surname		Patient	's postcode
Date of Birth (dd/mm/yyyy)	Sex		Contact	telephone number
//	☐ Male ☐ Female	□ Other		·
Hospital MRN	Patient type		Indigend	ous Status
Medicare number	□ Public □ Private □ Overseas □ Not known		☐ Both A	Strait Islander Aboriginal and Torres Strait Islander er Aboriginal nor Torres Strait Islander
Admission via ED of operating hospital		If transferred from another hospital		
<ul> <li>☐ Yes</li> <li>☐ No, transferred from another hospital</li> <li>☐ No, in-patient fall</li> <li>☐ Other/not known</li> </ul>		Name of transferring hospital:  ED/Hospital arrival date/time / /		
ED/Hospital Admission (operating h	nospital)	If an in-patient fracture (	ime using	24hr clock)
Admission// hrs		Date / time of diagnosis//		
Departure// (from ED)	:hrs Record time using 24hr clock			Record time using 24hr clock
Usual Place of Residence	. "	Type of ward admitted to		
<ul> <li>□ Private residence including retirement village</li> <li>□ Residential care facility</li> <li>□ Other</li> <li>□ Not known</li> </ul>		☐ Hip fracture unit /Orthopaedic ward / preferred ward ☐ Outlying ward ☐ HDU / CCU / ICU ☐ Other / not known		
Note: If holiday residence/respite care, document usual place of residence  Walking ability pre-admission				<b>D</b> (1)
Walking ability pre-admission		Preadmission cognitive	status	Preoperative cognitive
Walking ability pre-admission  □ Usually walks without walking aids □ Usually walks with a stick or crutch □ Usually walks with two aids or frame □ Usually uses a wheel chair/ bed bou □ Not known		Preadmission cognitive  □ Normal cognition □ Impaired cognition or kn dementia □ Not known or recorded		assessment  Cognition not assessed  Cognition assessed and normal  Cognition assessed and impaired  Not known  Note: cognitive assessment requires use of a validated tool
☐ Usually walks without walking aids☐ Usually walks with a stick or crutch☐ Usually walks with two aids or frame☐ Usually uses a wheel chair/ bed bot		□ Normal cognition □ Impaired cognition or kn dementia □ Not known or recorded		assessment  Cognition not assessed Cognition assessed and normal Cognition assessed and impaired Not known  Note: cognitive assessment requires use
□ Usually walks without walking aids □ Usually walks with a stick or crutch □ Usually walks with two aids or frame □ Usually uses a wheel chair/ bed bou □ Not known  Pain Assessment □ Documented assessment of pain wipresentation □ Documented assessment of pain gr ED presentation □ Pain assessment not documented counciled Not known or recorded	thin 30 minutes of ED eater than 30 minutes of	☐ Normal cognition ☐ Impaired cognition or kn dementia	own  0 minutes an 30 minutes	assessment  Cognition not assessed Cognition assessed and normal Cognition assessed and impaired Not known  Note: cognitive assessment requires use of a validated tool  of ED presentation utes after ED presentation
□ Usually walks without walking aids □ Usually walks with a stick or crutch □ Usually walks with two aids or frame □ Usually uses a wheel chair/ bed bou □ Not known  Pain Assessment □ Documented assessment of pain wipresentation □ Documented assessment of pain gr ED presentation □ Pain assessment not documented counciled Not known or recorded  Bone protection medication at adm	thin 30 minutes of ED eater than 30 minutes of	□ Normal cognition □ Impaired cognition or kn dementia □ Not known or recorded  Pain Management □ Analgesia given within 3 □ Analgesia given more th □ Analgesia provided by p □ Analgesia not required	own  0 minutes an 30 minutes	assessment  Cognition not assessed Cognition assessed and normal Cognition assessed and impaired Not known  Note: cognitive assessment requires use of a validated tool  of ED presentation utes after ED presentation
□ Usually walks without walking aids □ Usually walks with a stick or crutch □ Usually walks with two aids or frame □ Usually uses a wheel chair/ bed bou □ Not known  Pain Assessment □ Documented assessment of pain wipresentation □ Documented assessment of pain gr ED presentation □ Pain assessment not documented counciled Not known or recorded	thin 30 minutes of ED eater than 30 minutes of or not done	□ Normal cognition □ Impaired cognition or kn dementia □ Not known or recorded  Pain Management □ Analgesia given within 3 □ Analgesia given more th □ Analgesia provided by p □ Analgesia not required □ Not known	own  0 minutes an 30 minutes aramedics	assessment  Cognition not assessed Cognition assessed and normal Cognition assessed and impaired Not known  Note: cognitive assessment requires use of a validated tool  of ED presentation utes after ED presentation
Usually walks without walking aids Usually walks with a stick or crutch Usually walks with two aids or frame Usually uses a wheel chair/ bed bou Not known  Pain Assessment Documented assessment of pain wipresentation Documented assessment of pain gr ED presentation Pain assessment not documented on Not known or recorded  Bone protection medication at adm No bone protection medication Yes, calcium and/or vitamin D only Yes, bispohosphonate (oral or IV) so Not known  Pre-operative medical assessment	thin 30 minutes of ED eater than 30 minutes of or not done	□ Normal cognition □ Impaired cognition or kn dementia □ Not known or recorded  Pain Management □ Analgesia given within 3 □ Analgesia given more th □ Analgesia provided by p □ Analgesia not required □ Not known	own  0 minutes an 30 minutes aramedics	assessment  Cognition not assessed Cognition assessed and normal Cognition assessed and impaired Not known  Note: cognitive assessment requires use of a validated tool  of ED presentation utes after ED presentation
□ Usually walks without walking aids □ Usually walks with a stick or crutch □ Usually walks with two aids or frame □ Usually uses a wheel chair/ bed bou □ Not known  ■ Pain Assessment □ Documented assessment of pain wipresentation □ Documented assessment of pain gr ED presentation □ Pain assessment not documented or □ Not known or recorded ■ Rone protection medication at adm □ No bone protection medication □ Yes, calcium and/or vitamin D only □ Yes, bispohosphonate (oral or IV) s □ Not known	thin 30 minutes of ED eater than 30 minutes of or not done	Normal cognition Impaired cognition or kn dementia Not known or recorded  Pain Management Analgesia given within 3 Analgesia given more th Analgesia provided by p Analgesia not required Not known	own  O minutes an 30 minuaramedics	assessment    Cognition not assessed   Cognition assessed and normal   Cognition assessed and impaired   Not known    Note: cognitive assessment requires use of a validated tool    Of ED presentation utes after ED presentation    Vitamin D)
Usually walks without walking aids Usually walks with a stick or crutch Usually walks with two aids or frame Usually uses a wheel chair/ bed bou Not known  Pain Assessment Documented assessment of pain wipresentation Documented assessment of pain gr ED presentation Pain assessment not documented on Not known or recorded Bone protection medication at adm No bone protection medication Yes, calcium and/or vitamin D only Yes, bispohosphonate (oral or IV) so Not known  Pre-operative medical assessment No assessment conducted Geriatrician / geriatric team Physician / physician team GP Specialist nurse Not known  This is in addition to preoperative anaesthete	thin 30 minutes of ED eater than 30 minutes of or not done ission trontium, denosumab or terip	Normal cognition Impaired cognition or kndementia Not known or recorded  Pain Management Analgesia given within 3 Analgesia given more th Analgesia provided by p Analgesia not required Not known  Daritide (with or without calcid	own  O minutes an 30 minuaramedics	assessment    Cognition not assessed   Cognition assessed and normal   Cognition assessed and impaired   Not known    Note: cognitive assessment requires use of a validated tool    Of ED presentation utes after ED presentation    Vitamin D)
Usually walks without walking aids Usually walks with a stick or crutch Usually walks with two aids or frame Usually uses a wheel chair/ bed bou Not known  Pain Assessment Documented assessment of pain wipresentation Documented assessment of pain gr ED presentation Pain assessment not documented of Not known or recorded Bone protection medication at adm No bone protection medication Yes, calcium and/or vitamin D only Yes, bispohosphonate (oral or IV) s Not known  Pre-operative medical assessment No assessment conducted Geriatrician / geriatric team Physician / physician team GP Specialist nurse Not known  This is in addition to preoperative anaesthet Atypical fracture	thin 30 minutes of ED eater than 30 minutes of or not done ission trontium, denosumab or terip	Normal cognition Impaired cognition or kndementia Not known or recorded  Pain Management Analgesia given within 3 Analgesia given more thAnalgesia provided by pAnalgesia provided by pAnalgesia not required Not known  Side of fracture  Left Right If bilateral – complete a separation	own  O minutes an 30 minutes aramedics	assessment    Cognition not assessed   Cognition assessed and normal   Cognition assessed and impaired   Not known    Note: cognitive assessment requires use of a validated tool    Of ED presentation utes after ED presentation    vitamin D)    vitamin D
Usually walks without walking aids Usually walks with a stick or crutch Usually walks with two aids or frame Usually uses a wheel chair/ bed bou Not known  Pain Assessment Documented assessment of pain wipresentation Documented assessment of pain gr ED presentation Pain assessment not documented on Not known or recorded Bone protection medication at adm No bone protection medication Yes, calcium and/or vitamin D only Yes, bispohosphonate (oral or IV) so Not known  Pre-operative medical assessment No assessment conducted Geriatrician / geriatric team Physician / physician team GP Specialist nurse Not known  This is in addition to preoperative anaesthete	thin 30 minutes of ED eater than 30 minutes of or not done ission trontium, denosumab or terip	Normal cognition Impaired cognition or kndementia Not known or recorded  Pain Management Analgesia given within 3 Analgesia given more th Analgesia provided by p Analgesia not required Not known  Daritide (with or without calcid	own  O minutes an 30 minutes aramedics  um and/or vertical aramedics	assessment    Cognition not assessed   Cognition assessed and normal   Cognition assessed and impaired   Not known    Note: cognitive assessment requires use of a validated tool    Of ED presentation utes after ED presentation    vitamin D)    vitamin D

Did the patient undergo surgery	Date & time of primary surgery
□ Yes □ No	//hrs
	Record time using 24hr clock
Reason if delay > 48 hours	Anaesthesia
<ul> <li>No delay - surgery &lt; 48 hrs</li> <li>Yes, delayed due to patient deemed medically unfit</li> <li>Yes, delayed due to issues with anticoagulation</li> <li>Yes, delayed due to theatre availability</li> <li>Yes, delayed due to surgeon availability</li> <li>Yes, delayed due to delayed diagnosis of hip fracture</li> <li>Other type of delay (state reason)</li> <li>Not known</li> <li>Note: Delay is calculated from time of presentation to ED or diagnosis of</li> </ul>	☐ General anaesthetic ☐ Spinal / regional anaesthesia ☐ General and spinal/regional anaesthesia ☐ Other – state ☐ Not known
hip fracture for those transferred from other hospital or in-patient fall	
Analgesia (nerve block)  □ Nerve block administered preoperative (before arriving in OT)	Consultant present during surgery
<ul> <li>□ Nerve block administered in OT</li> <li>□ Both</li> <li>□ Neither</li> <li>□ Not known</li> </ul>	☐ Yes ☐ No ☐ Not known
Operation Performed	ASA Grade
□ Cannulated screws (e.g. multiple screws) □ Sliding hip screw □ Intramedullary nail – short □ Intramedullary nail – long □ Hemiarthroplasty – stem cemented □ Hemiarthroplasty – stem uncemented □ Total hip replacement – stem cemented □ Total hip replacement – stem uncemented □ Total hip replacement – stem uncemented □ Other □ Not known	□ 1 □ 2 □ 3 □ 4 □ 5 □ unknown
Postoperative weight bearing status	First day mobilisation
□ Unrestricted weight bearing □ Restricted / non weight bearing □ Not known	□ Patient out of bed and given opportunity to start mobilising day 1 post surgery □ Patient not given opportunity to start mobilising day 1 post surgery □ Not known
New Pressure Injury of the skin	Delirium assessment
□ No □ Yes □ Not known  Note: Grade 2 + above during acute admission	□ Delirium not assessed □ Delirium assessed and not identified □ Delirium assessed and identified □ Not known
Assessed by Geriatrician in acute phase of care	Note: assessment of delirium requires use of a validated tool  Date initially assessed by Geriatrician
□ No □ Yes □ No geriatric medicine service available □ Not known	//
Specialist falls assessment	Bone protection medication at discharge from operating hospital
□ No □ Performed during admission □ Awaits falls clinic assessment □ Further intervention not appropriate □ Not relevant □ Not known	□ No bone protection medication □ Yes, calcium and/or vitamin D only □ Yes, bispohosphonate (oral or IV) strontium, denosumab or teriparitide (with or without calcium and/or vitamin D) □ Not known
Date of discharge from acute / orthopaedic ward	Discharge destination from acute / orthopaedic ward
/	<ul> <li>□ Private residence (including retirement village)</li> <li>□ Residential care facility</li> <li>□ Rehabilitation unit - public</li> <li>□ Rehabilitation unit - private</li> <li>□ Other hospital / ward / speciality department</li> <li>□ Deceased</li> <li>□ Other</li> <li>□ Not known</li> </ul>
Date of final discharge from hospital if known	Discharge destination from hospital health system if known
/	<ul> <li>□ Private residence (including retirement village)</li> <li>□ Residential aged care facility</li> <li>□ Deceased</li> <li>□ Other</li> <li>□ Not known</li> </ul>

## Follow Up

Falless He	30 days	120 days
Follow Up Date	/ /	
		Material and data that fallowing was a smallet ad
	Note: record date that follow up was completed	Note: record date that follow up was completed
	□ No □ Yes	□ No □ Yes
Alive at 30 /	If discharged from hospital, confirm date of final discharge	If wasn't discharged at 30 day follow up, confirm date of final
120 days	from hospital system	discharge from hospital system
	//	//
	☐ Private residence (including unit in retirement village)	☐ Private residence (including unit in retirement village)
	☐ Residential aged care facility ☐ Rehabilitation unit - public	☐ Residential aged care facility ☐ Rehabilitation unit - public
Residential	☐ Rehabilitation unit - private	☐ Rehabilitation unit - private
status	□ Other hospital / ward / speciality department □ Deceased	☐ Other hospital / ward / speciality department☐ Deceased☐
	☐ Other ☐ Not known	☐ Other ☐ Not known
	- INOURING	- Not Kilowii
Weight	☐ Unrestricted weight bearing	☐ Unrestricted weight bearing
bearing status	☐ Restricted / non weight bearing ☐ Not known	□ Restricted / non weight bearing □ Not known
Status	- INOURING	- Not Kilowii
	☐ Usually walks without walking aids	☐ Usually walks without walking aids
Walking Ability	☐ Usually walks with a stick or crutch☐ Usually walks with two aids or frame	□ Usually walks with a stick or crutch □ Usually walks with two aids or frame
7 <b>.</b>	☐ Usually uses a wheel chair/ bed bound	☐ Usually uses a wheel chair/ bed bound
	□ Not known	□ Not known
	□ No bone protection medication	□ No bone protection medication
Bone	☐ Yes - Calcium and/or vitamin D only	☐ Yes - Calcium and/or vitamin D only
protection	☐ Yes - Bisphosphonate (oral or IV) strontium, denosumab or teriparitide (with or without calcium and/or vitamin D)	☐ Yes - Bisphosphonate (oral or IV) strontium, denosumab or teriparitide (with or without calcium and/or vitamin D)
	□ Not known	□ Not known
	□ No reoperation	□ No reoperation
	☐ Reduction of dislocated prosthesis	☐ Reduction of dislocated prosthesis
	<ul><li>□ Washout or debridement</li><li>□ Implant removal</li></ul>	☐ Washout or debridement ☐ Implant removal
Re-operation	☐ Revision of internal fixation	☐ Revision of internal fixation
within 30 / 120 days	<ul><li>□ Conversion to Hemiarthroplasty</li><li>□ Conversion to THR</li></ul>	☐ Conversion to Hemiarthroplasty ☐ Conversion to THR
120 days	□ Excision arthroplasty □ Revision arthroplasty	□ Excision arthroplasty □ Revision arthroplasty
	☐ Not relevant	□ Not relevant
	□ Not known	□ Not known
	Note: Most significant procedure only	Note: Most significant procedure only